

LOUISIANA STATE UNIVERSITY of ALEXANDRIA

MEDICAL LABORATORY TECHNICIAN PROGRAM

PROGRAM EFFECTIVENESS DATA

MLT Graduating Class	2015-2016	2016 -2017	2017-2018	3-year average**
ASCP-BOC/equivalent Pass rate (taken within the first year after graduation)	100%	100%	100 %	100%
Graduation Rate % of students who have begun the final half of the program and successfully graduated from the program.	67%	88%	85%	80%
Graduate Placement Rate (within first year)	100%	100%	100%	100%

**NAACLS (National Accrediting Agency for Clinical Laboratory Science) Benchmarks.

NAACLS BENCHMARK FOR CERTIFICATION RATES

Three years consecutive results of graduate certification rates demonstrating an average of at least 75% pass rate on the ASCP-BOC examinations, for those who take the exam within the first year of graduation.

NAACLS BENCHMARK FOR GRADUATION RATES

Three years consecutive results of graduation rates demonstrating an average of at least 70% of students who have begun the final half of the program go on to successfully graduate from the program as calculated by the most recent three year period.

NAACLS BENCHMARK FOR GRADUATE PLACEMENT RATES

Three years consecutive results of graduate placement rates demonstrating that an average of at least 70% of respondent graduates either find employment in the field or a closely related field (for those who seek employment), or continue their education within one year of graduation as calculated by the most recent three year period.